

## References

1. Duane A. Normal values of the Accommodation at all ages. *Trans Sect Ophthalmol AMA*. 1912;365-191.
2. Donders F. On the Anomalies of Accommodation and Refraction of the Eye. London: The New Sydenham Society, 1864:10-27.
3. Blum M, Kunert K, Nolte S, Riehemann S, Palme M, Peschel T, Dick M, Dick HB. [Presbyopia treatment using a femtosecond laser]. *Ophthalmologe*. 2006;103:1014-1019.
4. Lord SR, Dayhew J, Howland A. Multifocal glasses impair edge-contrast sensitivity and depth perception and increase the risk of falls in older people. *J Am Geriatr Soc*. 2002;50:1760-1766.
5. Johnson L, Buckley JG, Scally AJ, Elliott DB. Multifocal spectacles increase variability in toe clearance and risk of tripping in the elderly. *Invest Ophthalmol Vis Sci*. 2007;48:1466-1471.
6. Durrie DS. The effect of different monovision contact lens powers on the visual function of emmetropic presbyopic patients (an American Ophthalmological Society thesis). *Trans Am Ophthalmol Soc*. 2006;104:366-401.
7. Evans BJ. Monovision: a review. *Ophthalmic Physiol Opt*. 2007;27:417-439.
8. Kirschen DG, Hung CC, Nakano TR. Comparison of suppression, stereoacuity, and interocular differences in visual acuity in monovision and acuvue bifocal contact lenses. *Optom Vis Sci*. 1999;76:832-837.
9. Jain S, Arora I, Azar DT. Success of monovision in presbyopes: review of the literature and potential applications to refractive surgery. *Surv Ophthalmol*. 1996;40:491-499.
10. Fawcett SL, Herman WK, Alfieri CD, Castleberry KA, Parks MM, Birch EE. Stereoacuity and foveal fusion in adults with long-standing surgical monovision. *J Aapos*. 2001;5:342-347.
11. Miranda D, Krueger RR. Monovision laser in situ keratomileusis for pre-presbyopic and presbyopic patients. *J Refract Surg*. 2004;20:325-328.
12. Wright KW, Guemes A, Kapadia MS, Wilson SE. Binocular function and patient satisfaction after monovision induced by myopic photorefractive keratectomy. *J Cataract Refract Surg*. 1999;25:177-182.
13. Alio JL, Chaubard JJ, Caliz A, Sala E, Patel S. Correction of presbyopia by technovision central multifocal LASIK (presbyLASIK). *J Refract Surg*. 2006;22:453-460.
14. McDonald MB, Hersh PS, Manche EE, Maloney RK, Davidorf J, Sabry M. Conductive keratoplasty for the correction of low to moderate hyperopia: U.S. clinical trial 1-year results on 355 eyes. *Ophthalmology*. 2002;109:1978-1989; discussion 1989-1990.
15. Ehrlich J, Manche E. Long-Term Follow-Up of Conductive Keratoplasty for Correction of Mild to Moderate Hyperopia. American Academy of Ophthalmology. Las Vegas, Nevada, 2006.
16. Stahl JE. Conductive keratoplasty for presbyopia: 3-year results. *J Refract Surg*. 2007;23:905-910.
17. McDonald MB, Durrie D, Asbell P, Maloney R, Nichamin L. Treatment of presbyopia with conductive keratoplasty: six-month results of the 1-year United States FDA clinical trial. *Cornea*. 2004;23:661-668.
18. Alfonso JF, Fernandez-Vega L, Senaris A, Montes-Mico R. Quality of vision with the Acri.Twin asymmetric diffractive bifocal intraocular lens system. *J Cataract Refract Surg*. 2007;33:197-202.
19. Chiam PJ, Chan JH, Haider SI, Karia N, Kasaby H, Aggarwal RK. Functional vision with bilateral ReZoom and ReSTOR intraocular lenses 6 months after cataract surgery. *J Cataract Refract Surg*. 2007;33:2057-2061.
20. Schmidinger G, Simader C, Dejaco-Ruhswurm I, Skorpik C, Pieh S. Contrast sensitivity function in eyes with diffractive bifocal intraocular lenses. *J Cataract Refract Surg*. 2005;31:2076-2083.
21. Kohnen T, Allen D, Boureau C, Dublineau P, Hartmann C, Mehdorn E, Rozot P, Tassinari G. European multicenter study of the AcrySof ReSTOR apodized diffractive intraocular lens. *Ophthalmology*. 2006;113:584 e581.

22. Vingolo EM, Grenga P, Iacobelli L, Grenga R. Visual acuity and contrast sensitivity: AcrySof ReSTOR apodized diffractive versus AcrySof SA60AT monofocal intraocular lenses. *J Cataract Refract Surg.* 2007;33:1244-1247.
23. Dick HB. Accommodative intraocular lenses: current status. *Curr Opin Ophthalmol.* 2005;16:8-26.
24. Coleman DJ. Unified model for accommodative mechanism. *Am J Ophthalmol.* 1970;69:1063-1079.
25. Nawa Y, Ueda T, Nakatsuka M, Tsuji H, Marutani H, Hara Y, Uozato H. Accommodation obtained per 1.0 mm forward movement of a posterior chamber intraocular lens. *J Cataract Refract Surg.* 2003;29:2069-2072.
26. Heatley CJ, Spalton DJ, Hancox J, Kumar A, Marshall J. Fellow eye comparison between the 1CU accommodative intraocular lens and the Acrysof MA30 monofocal intraocular lens. *Am J Ophthalmol.* 2005;140:207-213.
27. Hancox J, Spalton D, Heatley C, Jayaram H, Marshall J. Objective measurement of intraocular lens movement and dioptric change with a focus shift accommodating intraocular lens. *J Cataract Refract Surg.* 2006;32:1098-1103.
28. Sanders DR, Sanders ML. Visual performance results after Tetraflex accommodating intraocular lens implantation. *Ophthalmology.* 2007;114:1679-1684.
29. Mastropasqua L, Toto L, Falconio G, Nubile M, Carpineto P, Ciancaglini M, Di Nicola M, Ballone E. Longterm results of 1 CU accommodative intraocular lens implantation: 2-year follow-up study. *Acta Ophthalmol Scand.* 2007;85:409-414.
30. Dai GM. Optical surface optimization for the correction of presbyopia. *Appl Opt.* 2006;45:4184-4195.
31. Bartoli F. Excimer laser unit and relative control method for performing corneal ablation to reduce presbyopia. United States, 2006.
32. Lee S, Dausch D. Presbyopia correction with the MEL 80: Statistical analysis of clinical outcomes. AAO. Chicago, 2005.
33. Reinstein DZ, Couch DG, Archer TJ. Laser in Situ Keratomileusis for the correction of hyperopic astigmatism with presbyopia. *J Refract Surg.* [In Press].
34. Adler F. *Physiology of the Eye: Clinical Application*, 8th ed. St Louis: Mosby, 1987.
35. Bennett AG, Rabbetts RB. *Clinical Visual Optics*, 3rd ed: Butterworth-Heinemann Ltd, 1998:142.
36. Reinstein DZ, Archer TJ, Gobbe M. Outcomes of Presbyopic Micro-Monovision LASIK for Myopia, Hyperopia and Emmetropia. ESCRS. Berlin, 2008.
37. Bennett AG, Rabbetts RB. *Clinical Visual Optics*, 3rd ed: Butterworth-Heinemann Ltd, 1998:142.