

Risk Factors for Open Angle Glaucoma

Sharifa Hirani, BSc (Hons), MSc, MCOptom, RMN

Bruce JW Evans, BSc, PhD, FCOptom, DipCLP, DipOrth

David F Edgar, BSc, FCOptom

C-17744 O/D

References

1. Bunce & Wormald (2006). Leading causes of certification for blindness and partial sight in England and Wales. *BMC Public Health* 6, 58.
2. Sharma, P, Sample, P, Zangwill L, Schuman J. (2008). Diagnostic Tools for Glaucoma Detection and Management. *Survey of Ophthalmology*. 53 (Supplement 1), 17-32.
3. Leske M, Suh-Yuh W, Hennis A, Honkanen R, Nemesure B. (2008). Risk factors for incident open-angle glaucoma. *Ophthalmology*. 115, 85-93.
4. Bathija R, Gupta N, Zangwill L, Weinreb R. (1998). Changing definition of glaucoma. *Journal of Glaucoma*. 7, 165-169.
5. Le A, Mukesh B, McCarty C et al. (2003). Risk factors associated with the incidence of open-angle glaucoma: The visual impairment project. *Investigative Ophthalmology & Visual Science*. 44, 3783-3789.

6. Boland M, Quigley H. (2007). Risk factors and Open-angle Glaucoma: Classification and Application. *Journal of Glaucoma*. 16, 406-418.
7. European Glaucoma Society (2003) European Glaucoma Society Terminology and Guidelines for Glaucoma, Savona Italy: DOGMA.
8. Quigley H, Nickells R, Kerrigan L, Pease M, Thibault D, Zack D. (1995). Retinal ganglion cell death in experimental glaucoma and after axotomy occurs by apoptosis. *Investigative Ophthalmology and Visual Science*. 90, 774-786.
9. American Academy of Ophthalmology. (1996). Preferred practice pattern of primary open angle glaucoma. San Francisco, USA.
10. Weinreb R, Khaw P. (2004). Primary open-angle glaucoma. *The Lancet*. 363, 1711-1720.
11. Pache M, Flammer J. (2006). A sick eye in a sick body? Systemic findings in patients with Primary Open-angle Glaucoma. *Survey of Ophthalmology*. 51, 179-212.
12. Douglas G. (2000). Pathogenetic mechanisms of glaucoma not related to intraocular pressure. *Current Opinion in Ophthalmology*. 9, 34-38.
13. Somner A. (1996). Glaucoma risk factors observed in the Baltimore Eye Survey. *Current Opinion in Ophthalmology*. 7, 93-98.

14. Gramer E, Tausch M. (1995). The risk profile of the glaucomatous patient. *Current Opinion in Ophthalmology*. 6, 76-88.
15. Quigley H, Vitale S. (1997). Models of open-angle glaucoma prevalence and incidence in the United States. *Investigative Ophthalmology & Visual Science*. 38, 83-91.
16. Eid T, Spaeth G (2000). *The Glaucomas: Concepts and Fundamentals*. Philadelphia: Williams and Wilkins. 89-103.
17. Cross V, Shah P, Bativa R, Spurgeon P. (2005) Glaucoma awareness and perceptions of risk among African–Caribbeans in Birmingham, UK. *Diversity in Health and Social Care*. 2, 81–90.
18. Rudnicka A, Mt-Isa S, Owen C, Cook D, Ashby D. (2006). Variations in Primary Open-Angle Glaucoma Prevalence by Age, Gender and Race: A Bayesian Meta-Analysis. *Investigative Ophthalmology & Visual Science*. 47, 4254-4261.
19. Anton A, Andrada M, Mujica V, Calle M, Portela J, Mayo A. (2004). Prevalence of primary open-angle glaucoma in a Spanish population: the Segovia study. *Journal of Glaucoma*. 13, 371-376
20. Mason R, Kosoko O, Wilson M et al. (1989). National survey of the prevalence and risk factors of glaucoma in St Lucia, West Indies: I: prevalence findings. *Ophthalmology*. 96, 1363-1368.

21. Vijaya L, George R, Baskaran M et al. (2008). Prevalence of primary open-angle glaucoma in an urban south Indian population and comparison with a rural population. The Chennai Glaucoma Study. *Ophthalmology*. 115, 648-654.
22. Wolfs R, Klaver C, Ramrattan R et al. (1998). Genetic risk of primary open-angle glaucoma. Population-based familial aggregation study. *Archives of Ophthalmology*. 116, 1640-1645.
23. Nemesure B, He Q, Mendell N et al. (2001). Inheritance of open-angle glaucoma in the Barbados family study. *American Journal of Medical Genetics*. 103, 36-43.
24. Carbonaro F, Hammond C. (2007) Genetics in ophthalmology and its relevance to Optometry. *Optometry in Practice* 8, 81-90 .
25. Kroese M, Burton H. (2003). Primary open angle glaucoma. The need for a consensus case definition. *Journal of Epidemiology & Community Health*. 57, 752-754.
26. Coleman A, Miglior S. (2008). Risk factors for Glaucoma onset and progression. *Surveys of Ophthalmology*. 53 (Supplement 1), 3-10.
27. Sommer A. (1989). Intraocular pressure and glaucoma. *American Journal of Ophthalmology*. 107, 186-188.
28. Johnson G, Minsassian D, Weale R (1998). The epidemiology of eye disease. London: Chapman and Hall Medical. 159-180.

29. Spry PGD, Harper RA. (2010) Essential Glaucoma Handbook. Optician, London.
30. Collaborative Normal-Tension Glaucoma Study Group. (1998). Comparison of glaucomatous progression between untreated patients with normal-tension glaucoma and patients with therapeutically reduced intraocular pressures. *American Journal of Ophthalmology*. 126, 487-97.
31. Collaborative Normal-Tension Glaucoma Study Group. (1998). The effectiveness of intraocular pressure reduction in the treatment of normal-tension glaucoma. *American Journal of Ophthalmology*. 126, 498-505.
32. Anderson D. (2003). Collaborative normal tension glaucoma study. *Current Opinion in Ophthalmology*. 14, 86-90.
33. Heijl A, Leske M, Bengtsson B, Hyman L, Bengtsson B, Hussein M. (2002). Early Manifest Glaucoma Trial Group. Reduction of intraocular pressure and glaucoma progression: results from the Early Manifest Glaucoma Trial. *Archives of Ophthalmology*. 120, 1268-1279.
34. National Institute for Health and Clinical Excellence (2009) Glaucoma: diagnosis and management of chronic open angle glaucoma and ocular hypertension. Available online at:
<http://www.nice.org.uk/nicemedia/pdf/CG85FullGuideline.pdf>
35. Kotecha A. (2009) Detection of glaucoma by the primary care optometrist. *Optometry in Practice*. 10, 51-64.

36. Ritch R, Steinberger D, Liebmann J. (1993). Prevalence of pigment dispersion syndrome in a population undergoing glaucoma screening. *American Journal of Ophthalmology*. 115, 707-710.
37. Brandt J, Beiser J, Gordon M et al. (2002). Central corneal thickness and measured IOP response to topical ocular hypotensive medication in the Ocular Hypertension Treatment Study. *American Journal of Ophthalmology*. 138, 714-720.
38. Nemesure B, Wu SY, Hennis A et al (2006) Corneal thickness and intraocular pressure in the Barbados eye studies. *Archives of Ophthalmology*. 121: 240-244.
39. Healey P, Mitchell P. (2000). The relationship between optic disc area and open-angle glaucoma. *Journal of Glaucoma*. 9, 203-204.
40. Quigley H, Varma R, Tielsch J et al. (1999). The relationship between optic disc area and open-angle glaucoma: the Baltimore Eye Survey. *Journal of Glaucoma*. 8, 347-352.
41. Healey PR, Mitchell P, Smith W, et al. (1997). Relationship between cup-disc ratio and optic disc diameter: the Blue Mountains Eye Study. *Australian & New Zealand Journal of Ophthalmology*, 25 (Supplement 1):S99–101.
42. Gordon M, Beiser J, Brandt J et al. (2002). The Ocular Hypertension Treatment Study: baseline factors that predict the onset of primary open-angle glaucoma. *Archives of Ophthalmology*. 120, 714-720.

43. Czudowska MA, Ramdas WD, Wolls RC, Hofman A, De Jong PT, Vingerling JR, Jansonius NM. (2010) Incidence of glaucomatous visual field loss: a ten-year follow-up from the Rotterdam Study. *Ophthalmology*. 117, 1705-12.
44. Quigley HA, Hohman RM, Addicks EM, et al. (1983) Morphologic changes in the lamina cribrosa correlated with neural loss in open-angle glaucoma. *American Journal of Ophthalmology*. 95, 673–691.
45. Jonas JB, Budde WM. (2005). Optic nerve damage in highly myopic eyes with chronic open-angle glaucoma. *European Journal of Ophthalmology*. 15, 41–47.
46. Mitchell P, Hourihan F, Sandbach J et al. (1999). The relationship between glaucoma and myopia: the Blue Mountains Eye Study. *Ophthalmology*. 106, 2010-2015.
47. Wu SY, Nemesure B, Leske MC. (1999). Refractive errors in a black adult population: the Barbados Eye Study. *Investigative Ophthalmology & Visual Science*. 40, 2179–2184.
48. Marcus M, de Vries M, Junoy Montolio F, Jansonius N. (2011). Myopia as a Risk Factor for Open-Angle Glaucoma: A Systematic Review and Meta-Analysis. *Ophthalmology*. 118, 1989-1994.
49. Memarzadeh F, Ying-Lai M, Chung J, Azen SP, Varma R, and Los Angeles Latino Eye Study Group 3 (2010). Blood Pressure, Perfusion Pressure, and Open-

Angle Glaucoma: The Los Angeles Latino Eye Study. *Investigative Ophthalmology & Visual Science*. 51, 2872–2877.

50. Tielsch J, Katz J, Sommer A et al. (1995). Hypertension, perfusion pressure and primary open-angle glaucoma. A population based assessment. *Archives of Ophthalmology*. 113, 216-221.

51. Wong VH, Bui BV, Vingrys AJ (2011). Clinical and experimental links between diabetes and glaucoma. *Clinical & Experimental Optometry*. 94, 4-23.

52. Nicolela MT (2008). Clinical clues of vascular deregulation and its association with glaucoma. *Canadian Journal of Ophthalmology*. 43, 337-41.

53. Lee A, Rochtchina E, Wang J, Healey P, Mitchell P (2004) Open-angle glaucoma and systemic thyroid disease in an older population: The Blue Mountains Eye Study. *Eye*. 18, 600-8.

54. Passo M, Goldberg L, Elliot D et al. (1991). Exercise training reduces intraocular pressure among subjects suspected of having glaucoma. *Archives of Ophthalmology*. 109, 1096-1098.

55. Pasquale L, Kang J, Manson J, et al. (2006). Prospective Study of Type 2 Diabetes Mellitus and Risk of Primary Open-Angle Glaucoma in Women. *Ophthalmology*. 113, 1081-1086.

56. Ramdas WD, Wolfs RCW, Hofman A, de Jong PTVM, Vingerling JR, Nomdo M, Jansonius NM (2011). Lifestyle and risk of developing open-angle glaucoma. *Archives of Ophthalmology*. 129, 767-772.
57. Kang J, Pasquale L, Rosner B et al. (2003). Prospective study of cigarette smoking and the risk of primary open-angle glaucoma. *Archives of Ophthalmology* 121, 1762-1768.
58. Klein B, Klein R, Ritter L. (1993). Relationship of drinking alcohol and smoking to prevalence of open-angle glaucoma. The Beaver Dam Eye Study. *Ophthalmology*. 100, 1609-1613.
59. Chandrasekaran S, Rochtchina E, Mitchell P. (2005). Effects of caffeine on intraocular pressure: the Blue Mountains Eye Study. *Journal of Glaucoma*. 14, 504-507.